

Boccole idrolubrificate a canali evolventi per assi portaelica

Ø interno in MM ed esterno in pollici - OTTONE

Codice	Ø asse mm	Ø est. "	Ø est. mm	L mm	Codice	Ø asse mm	Ø est. "	Ø est. mm	L mm
N4921420	20	1" 1/4	31.75	76.2	N4921460	60	3" 1/4	82.55	241.3
N4921422	22	1" 1/4	31.75	76.2	N4921465	65	3" 3/8	85.72	266.7
N4921425	25	1" 1/2	38.10	101.6	N4921470	70	3" 3/4	95.25	279.4
N4921428	28	1" 5/8	41.27	114.3	N4921475	75	4"	101.60	304.8
N4921430	30	1" 3/4	44.45	127.0	N4921480	80	4"	101.60	304.8
N4921432	32	1" 3/4	44.45	127.0	N4921485	85	4" 1/2	114.30	342.9
N4921435	35	1" 7/8	47.62	139.7	N4921490	90	4" 1/2	114.30	355.6
N4921438	38	2"	50.80	152.4	N4921495	95	4" 1/2	114.30	380.0
N4921440	40	2" 1/8	53.97	165.1	N4921500	100	5" 1/4	133.35	406.4
N4921445	45	2" 3/8	60.32	177.8	N4921510	110	5" 1/2	139.70	431.8
N4921450	50	2" 5/8	66.67	203.2	N4921520	120	6" 1/8	155.57	482.6
N4921455	55	3"	76.20	228.6	N4921525	125	6" 1/8	155.57	508.0

Ø interno ed esterno in MM - OTTONE

Codice	Ø asse mm	Ø est. mm	L mm	Codice	Ø asse mm	Ø est. mm	L mm	Codice	Ø asse mm	Ø est. mm	L mm
N4921620	20	35	80	N4921642	42	60	168	N4921675	75	95	300
N4921622	22	35	88	N4921644	44	68	180	N4921680	80	100	320
N4921625	25	40	100	N4921645	45	65	180	N4921685	85	105	340
N4921628	28	42	112	N4921650	50	70	200	N4921690	90	110	360
N4921630	30	45	120	N4921655	55	75	220	N4921695	95	115	380
N4921635	35	50	140	N4921660	60	80	240	N4921700	100	125	400
N4921638	38	55	152	N4921665	65	85	260	N4921715	115	145	460
N4921640	40	55	160	N4921670	70	90	280	N4921720	120	155	480

Ø interno ed esterno in pollici - OTTONE

Codice	Ø asse		Ø est.		Lunghezza		Codice	Ø asse		Ø est.		Lunghezza	
	"	mm	"	mm	"	mm		"	mm	"	mm	"	mm
N4923401	1"	25.40	1" 1/2	38.10	4"	101.60	N4923642	2"	50.80	3"	76.20	8"	209.19
N4923402	1" 1/8	28.57	1" 5/8	41.27	4" 1/2	114.30	N4923417	2" 1/8	53.97	3"	76.20	8" 1/2	215.89
N4923403	1" 1/4	31.75	1" 3/4	44.45	5"	127.00	N4923418	2" 1/4	57.15	3"	76.20	9"	228.59
N4923406	1" 3/8	37.92	1" 7/8	47.62	5" 1/2	138.90	N4923421	2" 3/8	60.32	3" 1/4	82.55	9" 1/2	241.29
N4923407	1" 1/2	38.10	2"	50.80	6"	152.39	N4923426	2" 1/2	63.50	3" 1/4	82.55	10"	254.00
N4923407	1" 5/8	41.27	2" 1/8	53.97	6" 1/2	165.09	N4923431	2" 5/8	66.67	3" 3/8	85.72	10" 1/2	266.70
N4923411	1" 3/4	44.45	2" 3/8	60.32	7"	177.9	N4923436	2" 3/4	69.85	3" 3/4	95.25	11"	279.40
N4923412	1" 7/8	47.62	2" 5/8	66.67	7" 1/2	190.49	N4923441	2" 7/8	73.02	3" 3/4	95.25	12"	304.80
N4923413	2"	50.80	2" 5/8	66.67	8"	203.19	N4923442	3"	76.20	4"	101.60	12"	304.80

Ø interno ed esterno in pollici - OTTONE

Codice	Ø asse		Ø est.		Lunghezza		Codice	Ø asse		Ø est.		Lunghezza	
	"	mm	"	mm	"	mm		"	mm	"	mm	"	mm
N4923601	1"	25.40	1" 1/4	31.75	4"	101.60	N4923616	1" 3/8	34.92	2"	50.80	5" 1/2	139.7
N4923602	1"	25.40	1" 3/8	34.92	4"	101.60	N4923617	1" 3/8	34.92	2" 1/8	53.97	5" 1/2	139.7
N4923603	1"	25.40	1" 5/8	41.27	4"	101.60	N4923618	1" 3/8	34.92	2" 3/8	60.32	5" 1/2	139.7
N4923606	1" 1/8	28.57	1" 1/2	38.10	4" 1/2	114.3	N4923621	1" 1/2	38.10	2" 3/8	60.32	6"	152.4
N4923607	1" 1/8	28.57	1" 3/4	44.45	4" 1/2	114.3	N4923626	1" 5/8	41.27	2" 5/8	66.67	6" 1/2	165.1
N4923608	1" 1/8	28.57	2"	50.80	4" 1/2	114.3	N4923631	1" 3/4	44.45	2" 5/8	66.67	7"	177.8
N4923611	1" 1/4	31.75	1" 1/2	38.10	5"	127.0	N4923636	1" 7/8	47.62	2" 15/16	74.61	7" 1/2	190.5
N4923612	1" 1/4	31.75	1" 5/8	41.27	5"	127.0	N4923641	2"	50.80	2" 3/8	69.85	8"	203.2
N4923613	1" 1/4	31.75	2"	50.80	5"	127.0	N4923642	2"	50.80	3"	76.20	8"	203.2

Specificare se la boccia e' DX o SX.
 Una boccia DX viene utilizzata con un elica SX e vice versa.